Contents

Volume 90, Issue 1, January 2001

1 Instructions to authors

7 A REVIEW: A reconsideration of the evidence for *Escherichia coli* STa (heat stable) enterotoxin-driven fluid secretion: a new view of STa action and a new paradigm for fluid absorption *M.L. Lucas*

27 Comparison of selective procedures for isolation and eumeration of *Legionella* species from hot water systems *E. Leoni & P.P. Legnani*

34 Role of botrytized grape micro-organisms in SO_2 binding phenomena *J.-C. Barbe, G. de Revel, A. Joyeux, A. Bertrand & A. Lonvaud-Funel*

43 Intestinal transit of an orally administered streptomycin-rifampicin-resistant variant of *Bifidobacterium longum* SBT2928: its long-term survival and effect on the intestinal microflora and metabolism *S. Fujiwara, Y. Seto, A. Kimura & H. Hashiba*

53 A microcalorimetric comparison of the anti-*Streptococcus mutans* efficacy of plant extracts and antimicrobial agents in oral hygiene formulations *T.D. Morgan, A.E. Beezer, J.C. Mitchell & A.W. Bunch*

59 Enhanced flavour formation by combination of selected lactococci from industrial and artisanal origin with focus on completion of a metabolic pathway *E.H.E. Ayad, A. Verheul, W.J.M. Engels, J.T.M. Wouters & G. Smit*

68 Human serum antibody response to *Helicobacter pylori* whole cell antigen in an institutionalized Bangladeshi population *J. Nessa, H. Chart, R.J. Owen & B. Drasar*

73 Evaluation of rapid methods for the determination of okadaic acid in mussels *L. Croci, A. Stacchini, L. Cozzi, G. Ciccaglioni, F. Mazzei, F. Botreè & L. Toti*

78 Effect of the tropical forage calliandra on microbial protein synthesis and ecology in the rumen *C.S. McSweeney, B. Palmer, R. Bunch & D.O. Krause*

89 Detection of enterovirus and hepatitis A virus RNA in mussels (*Mytilus* spp.) by reverse transcriptase-polymerase chain reaction *N. Casas & E. Suñén*

96 Molecular characterization and diversity of thermophilic iron-reducing enrichment cultures from deep subsurface environments *J. Zhou, S. Liu, B. Xia, C. Zhang, A.V. Palumbo & T.J. Phelps*

106 The application of a fermented food ingredient containing 'variacin', a novel antimicrobial produced by *Kocuria varians*, to control the growth of *Bacillus cereus* in chilled dairy products *T. O'Mahony, N. Rekhif, C. Cavadini & G.F. Fitzgerald*

115 Phylogenetic analysis of *Bacillus thuringiensis* serovars based on 16S rRNA gene restriction fragment length polymorphisms *K.-B. Joung & J.-C. Côté*

123 Characterization of cell envelope-associated proteinases of thermophilic lactobacilli *D. Fira, M. Kojic, A. Banina, I. Spasojevic, I. Strahinic & L. Topisirovic*

131 Tracing of *Salmonella* spp. in two pork slaughter and cutting plants using serotyping and macrorestriction genotyping *I. Giovannacci, S. Queguiner, C. Ragimbeau, G. Salvat, J.L. Vendeuvre, V. Carlier & G. Ermel*

148 Letters to the Editors

Volume 90, Issue 2, February 2001

151 The growth of *Bacillus stearothermophilus* on stainless steel *S. Flint, J. Palmer, K. Bloemen, J. Brooks & R. Crawford*

158 Biogenic amine production by *Lactobacillus M.E. Arena & M.C. Manca de Nadra*

163 Evaluation of microbial proteolysis in meat products by capillary electrophoresis *A. Martín, J.J. Córdoba, M.M. Rodríguez, F. Núñez & M.A. Asensio*

172 Lactic acid bacteria from healthy oral cavity of Thai volunteers: inhibition of oral pathogens *S. Sookkhee, M. Chulasiri & W. Prachyabrued*

180 Filter-based PNA *in situ* hybridization for rapid detection, identification and enumeration of specific micro-organisms *H. Perry-O'Keefe, H. Stender, A. Broomer, K. Oliveira, J. Coull & J.J. Hyldig-Nielsen*

190 Miniaturized tests for computer-assisted identification of motile *Aeromonas* species with an improved probability matrix *J. Carson, T. Wagner, T. Wilson & L. Donachie*

201 Growth and survival of *E. coli* O157:H7 during the manufacture and ripening of a smear-ripened cheese produced from raw milk *M.M. Maher, K.N. Jordan, M.E. Upton & A. Coffey*

208 Development of xylose-fermenting yeast *Pichia stipitis* for ethanol production through adaptation on hardwood hemicellulose acid prehydrolysate *J.N. Nigam*

216 Enhancement of glucose oxidase production in batch cultivation of recombinant *Saccharomyces cerevisiae:* optimization of oxygen transfer condition *A. Kapat, J.-K. Jung & Y.-H. Park*

223 Isolation of human faecal bifidobacteria which reduce signs of *Salmonella* infection when orogastrically dosed to mice *A. Henriksson & P.L. Conway*

229 A colony blot immunoassay to detect enteroinvasive *Escherichia coli* and *Shigella* in water samples *D. Szakál, I. Gadó & T. Pál*

237 Isolation and characterization of a novel hydrocarbon-degrading, Gram-positive bacterium, isolated from intertidal beach sediment, and description of *Planococcus alkanoclasticus* sp. nov. *M.A. Engelhardt, K. Daly, R.P.J. Swannell & I.M. Head*

248 Cloning and heterologous expression of xylanase from *Pichia stipitis* in *Escherichia coli P. Basaran, Y.D. Hang, N. Basaran & R.W. Worobo*

256 The effects of UVB and temperature on the survival of natural populations and pure cultures of *Campylobacter jejuni*, *Camp. coli*, *Camp. lari* and urease-positive thermophilic campylobacters (UPTC) in surface waters *K. Obiri-Danso, N. Paul & K. Jones*

268 Selection of a *Bifidobacterium* strain to complement resistant starch in a synbiotic yoghurt *R.G. Crittenden, L.F. Morris, M.L. Harvey, L.T. Tran, H.L. Mitchell & M.J. Playne*

279 Antibacterial activity of ozonized sunflower oil (Oleozon) *L.A. Sechi, I. Lezcano, N. Nunez, M. Espim, I. Duprè, A. Pinna, P. Molicotti, G. Fadda & S. Zanetti*

285 Evaluation of numerical analysis of PFGE-DNA profiles for differentiating *Campylobacter fetus* subspecies by comparison with phenotypic, PCR, and 16S rDNA sequencing methods *S.L.W. On & C.S. Harrington*

294 Epithelium-associated bacteria in the gastrointestinal tract of Arctic charr (*Salvelinus alpinus* L.). An electron microscopical study *E. Ringo, J.B. Lodemel, R. Myklebust, T. Kaino, T.M. Mayhew & R.E. Olsen*

Volume 90, Issue 3, March 2001

301 Induction, growth and antibiotic production of *Streptomyces viridifaciens* L-form bacteria *C.M.J. Innes & E.J. Allan*

309 RAPD-PCR typing of *Acinetobacter* isolates from activated sludge systems designed to remove phosphorus microbiologically *E. Carr, H. Eason, S. Feng, A. Hoogenraad, R. Croome, J. Soddell, K. Lindrea & R. Seviour*

320 Purification and characterization of an extracellular ?-glucosidase protein from *Trichoderma viride* which degrades a phytotoxin associated with sheath blight disease in rice *V. Shanmugam, S. Sriram, S. Babu, R. Nandakumar, T. Raguchander, P. Balasubramanian & R. Samiyappan*

330 Phage-displayed peptides that mimic aflatoxin B1 in serological reactivity *K. Thirumala-Devi, J.S. Miller, G. Reddy, D.V.R. Reddy & M.A. Mayo*

337 Metabolic response of biofilm to shear stress in fixed-film culture *Y. Liu & J.-H. Tay*

343 Establishment of orally-administered *Lactobacillus gasseri* SBT2055SR in the gastrointestinal tract of humans and its influence on intestinal microflora and metabolism *S. Fujiwara, Y. Seto, A. Kimura & H. Hashiba*

353 Biosynthesis of PHB tercopolymer by *Bacillus cereus* UW85 *S. Labuzek & I. Radecka*

358 Recognition of *Yersinia enterocolitica* multiple strain infection in twin infants using PCR-based DNA fingerprinting *J.T. Gray, M. WaKabongo, F.E. Campos, A.A. Diallo, C. Tyndal & C.A. Tucker*

365 Identification by 16S–23S rDNA intergenic region amplification, genotypic and phenotypic clustering of *Staphylococcus xylosus* strains from dry sausages *F. Rossi, R. Tofalo, S. Torriani & G. Suzzi*

372 Production of brown tyrosine pigments by the yeast *Yarrowia lipolytica A. Carreira, L.M. Ferreira & V. Loureiro*

380 A study into the role of L-aspartic acid in the metabolism of L-malic acid and D-glucose by *Oenococcus œni Y. Vasserot, C. Dion, E. Bonnet, A. Maujean & P. Jeandet*

388 Expression of a modified *Neocallimastix patriciarum* xylanase in *Butyrivibrio fibrisolvens* digests more fibre but cannot effectively compete with highly fibrolytic bacteria in the rumen *D.O. Krause, R.J. Bunch, B.D. Dalrymple, K.S. Gobius, W.J.M. Smith, G.-P. Xue & C.S. McSweeney*

397 Optimization of the wheat puroindoline-a production in *Pichia pastoris N. Issaly, O. Solsona, P. Joudrier, M.F. Gautier, G. Moulin & H. Boze*

407 Development of a dynamic continuous-discrete-continuous model describing the lag phase of individual bacterial cells *R.C. McKellar*

414 Molecular evaluation of microbial diversity occurring in different types of Mozzarella cheese *S. Coppola, G. Blaiotta, D. Ercolini & G. Moschetti*

421 Biocontrol of *Pythium* in the pea rhizosphere by antifungal metabolite producing and non-producing *Pseudomonas* strains *D.C. Naseby, J.A. Way, N.J. Bainton & J.M. Lynch*

430 Detection and characterization of a bacteriocin, garviecin L1-5, produced by *Lactococcus garvieae* isolated from raw cow's milk *F. Villani, M. Aponte, G. Blaiotta, G. Mauriello, O. Pepe & G. Moschetti*

440 A continuous culture biofilm model of cariogenic responses *R.J. Hodgson, R.J.M. Lynch, G.K. Watson, R. Labarbe, R. Treloar & C. Allison*

449 Purification and characterization of an extracellular proline iminopeptidase from *Corynebacterium variabilis* NCDO 2101 *M. Gobbetti, E. Smacchi, M. Semeraro, P.F. Fox, R. Lanciotti & T. Cogan*

457 Comparison of aerobic denitrification under high oxygen atmosphere by *Thiosphaera pantotropha* ATCC 35512 and *Pseudomonas stutzeri* SU2 newly isolated from the activated sludge of a piggery wastewater treatment system *J.-J. Su, B.-Y. Liu & C.-Y. Liu*

463 The combined action of carvacrol and high hydrostatic pressure on *Listeria monocytogenes* Scott A *A.K. Karatzas, E.P.W. Kets, E.J. Smid & M.H.J. Bennik*

470 Identification of thermophilic *Campylobacter* spp. by phenotypic and molecular methods *I. Steinhauserova, J. Éeškova, K. Fojtikova & I. Obrovska*

476 Effects of salinity on protein and lipopolysaccharide pattern in a salt-tolerant strain of *Mesorhizobium ciceri M. Soussi, M. Santamaíía, A. Ocaña & C. Lluch*

482 Effects of medium composition, calcium, iron and oxygen on haemolysin production by *Plesiomonas shigelloides* isolated from water *K.C. Baratela, H.O. Saridakis, L.C.J. Gaziri & J.S. Pelayo*

Volume 90, Issue 4, April 2001

489 Inhibition *Escherichia coli* respiratory enzymes by the lactoperoxidase-hydrogen peroxide-thiocyanate antimicrobial system *K. Shin, H. Hayasawa & B. Lönnerdal*

494 Antimicrobial properties of phenolic compounds from berries *R. Puupponen-Pimiä, L. Nohynek, C. Meier, M. Kähkönen, M. Heinonen, A. Hopia & K.-M. Oksman-Caldentey*

508 Nutritional requirements and simplified cultivation medium to study growth and energetics of a sourdough lactic acid bacterium *Lactobacillus fermentum* Ogi E1 during heterolactic fermentation of starch *M. Calderon, G. Loiseau & J.P. Guyot*

517 Antibiotic resistance among *Listeria*, including *Listeria monocytogenes*, in retail foods *D. Walsh, G. Duffy, J.J. Sheridan, I.S. Blair & D.A. McDowell*

523 The bactericidal effect and chemical reactions of acidified nitrite under conditions simulating the stomach *J. Xu, X. Xu & W. Verstraete*

530 Characterization and growth of *Bacillus* spp. in heat-treated cream with and without nisin *H. Nissen, H. Holo, L. Axelsson & H. Blom*

535 Direct polymerase chain reaction detection of ropy *Pediococcus damnosus* strains in wine *E. Gindreau, E. Walling & A. Lonvaud-Funel*

543 Development of monoclonal sandwich ELISA for the detection of animal and human *Escherichia coli* O157 strains *P. Kerr, H. Chart, D. Finlay, D.A. Pollock, D.P. Mackie & H.J. Ball*

550 Activation of clindamycin phosphate by human skin *S. Amr, M.B. Brown, G.P. Martin & B. Forbes*

555 Thermal resistance of wild-type and antibiotic-resistant *Listeria monocytogenes* in meat and potato substrates *D. Walsh, J.J. Sheridan, G. Duffy, I.S. Blair, D.A. McDowell & D. Harrington*

561 The effect of temperature on the ensiling process of corn and wheat *Z.G. Weinberg, G. Szakacs, G. Ashbell & Y. Hen*

567 Survival of biocontrol *Pseudomonas fluorescens* CHA0 in lysimeter effluent water depends on time of the year and soil type *C. Hase, J. Nievergelt, Y. Moënne-Loccoz & G. Défago*

578 Research of quality indices for cold-smoked salmon using a stepwise multiple regression of microbiological counts and physico-chemical parameters *F. Leroi, J.J. Joffraud, F. Chevalier & M. Cardinal*

588 Development and use of a new medium to detect yeasts of the genera *Dekkera/Brettanomyces N. Rodrigues, G. Gonçalves, S. Pereira-da-Silva, M. Malfeito-Ferreira & V. Loureiro*

600 Spatial and temporal distribution of non-starter lactic acid bacteria in Cheddar cheese *N.A. Fitzsimons, T.M. Cogan, S. Condon & T. Beresford*

609 Biocatalytic potential of *Fusarium globulosum* lipase in selective acetylation/deacetylation reactions and in ester synthesis *R. Gulati, A. Bhattacharya, A.K. Prasad, R. Gupta, V.S. Parmar & R.K. Saxena*

614 Rapid detection of *Listeria monocytogenes* in ham samples using immunomagnetic separation followed by polymerase chain reaction *J.A. Hudson, R.J. Lake, M.G. Savill, P. Scholes & R.E. McCormick*

622 Bacillomycin D: an iturin with antifungal activity against *Aspergillus flavus A.-L. Moyne, R. Shelby, T.E. Cleveland & S. Tuzun*

630 Extraction and detection of baculoviral DNA from lake water, detritus and forest litter *L.S. England, J.T. Trevors & S.B. Holmes*

637 The isolation and characterization of *Campylobacter jejuni* subsp. *jejuni* from domestic geese (*Anser anser*) *F. Aydin, H.I. Atabay & M. Akan*

643 Update on the detection of β-exotoxin in *Bacillus thuringiensis* strains by HPLC analysis *C.S. Hernández, J. Ferré & I. Larget-Thiéry*

648 Antimicrobial effect of acidified nitrite on dermatophyte fungi, *Candida* and bacterial skin pathogens *Weller, R.J. Price, A.D. Ormerod, N. Benjamin & C. Leifert*

653 Purification of a thermostable endochitinase from *Streptomyces* RC1071 isolated from a cerrado soil and its

antagonism against phytopathogenic fungi *R.C. Gomes, L.T.A.S. Sémedo, R.M.A. Soares, L.F. Linhares, C.J. Ulhoa, C.S. Alviano & R.R.R. Coelho*

662 Rhizobia of chickpea from southern Portugal: symbiotic efficiency and genetic diversity *M. Laranjo, R. Rodrigues, L. Alho & S. Oliveira*

668 Characterization of polar lipids of oral isolates of *Candida, Pichia* and *Saccharomyces* by Fast Atom Bombardment Mass Spectrometry (FAB MS) *A. Zarei Mahmoudabadi, V. Boote & D.B. Drucker*

676 Erratum

Volume 90, Issue 5, May 2001

677 A REVIEW: Cross-talk involving extracellular sensors and extracellular alarmones gives early warning to unstressed *Escherichia coli* of impending lethal chemical stress and leads to induction of tolerance responses *R.J. Rowbury*

696 Ecophysiological attributes of a *Lactobacillus* sp. and a *Pseudomonas* sp. on sterile beef fillets in relation to storage temperature and film permeability *E. Tsigarida, G.-J.E. Nychas*

706 Encystation of *Acanthamoeba castellanii*: Dye uptake for assessment by flow cytometry and confocal laser scanning microscopy *C. Connell, A. Rutter, B. Hill, M. Suller & D. Lloyd*

713 Crenarchaeota and Euryarchaeota in temperate estuarine sediments *C. Abreu, G. Jurgens, P. De Marco, A. Saano & A.A. Bordalo*

719 A rapid molecular assay for the detection of antibiotic resistance determinants in causal agents of infective endocarditis *J.E. Moore, B.C. Millar, X. Yongmin, N. Woodford, S. Vincent, C.E. Goldsmith, R.B. McClurg, M. Crowe, R. Hone & P.G. Murphy*

727 Searching the point of no return in *Helicobacter pylori* life: necrosis and/or programmed death? *L. Cellini, I. Robuffo, N.M. Maraldi & G. Donelli*

733 Biogeochemical cycling bacteria as indices of pond fertilizaton: importance of CNP ratios of input fertilizers *B.B. Jana, P. Chakraborty, J.K. Biswas & S. Ganguly*

741 Bactericidal effect of a whey protein concentrate with anti-*Helicobacter pylori* activity *E.M. Early, H. Hardy, T. Forde & M. Kane*

749 Characterization of factors affecting attachment of *Bifidobacterium* species to amylomaize starch granules *K. O'Riordan, N. Muljadi & P. Conway*

755 Patterns of infection by *Salmonella* and *Yersinia* spp. in commensal house mouse (*Mus musculus domesticus*) populations *M.J.O. Pocock, J.B. Searle, W.B. Betts & P.C.L. White*

761 Effect of sporulation and recovery medium on the heat resistance and amount of injury of spores from spoilage bacilli *A.E. Cazemier, S.F.M. Wagenaars & P.F. ter Steeg*

771 Induction of complement sensitivity in *Escherichia coli* by citric acid and low pH *C. Ocaña-Morgner & J.R. Dankert*

779 Exopolysaccharide production by *Propionibacterium acidi-propionici* on milk microfiltrate *N. Gorret, J.L. Maubois, M. Ghoul & J.M. Engasser*

788 Study of the effects of temperature, pH and yeast extract on growth and exopolysaccharides production by *Propionibacterium acidi-propionici* on milk microfiltrate using a response surface methodology *N. Gorret, J.L. Maubois, J.M. Engasser & M. Ghoul*

797 The occurrence of aerolysin-positive *Aeromonas* spp. and their cytotoxicity in Norwegian water sources *Ø. Ørmen & Ø. Østensvik*

803 One-step purification of chitinase from *Serratia marcescens* NK1, a soil isolate *N.N. Nawani & B.P. Kapadnis*

809 Comparison between a PCR-ELISA test and the vero cell assay for detecting Shiga toxin-producing *Escherichia coli* in dairy products and characterization of virulence traits of the isolated strains *P. Fach, S. Perelle, F. Dilasser & J. Grout*

819 Effect of lactobacilli on yeast growth, viability and batch and semi-continuous alcoholic fermentation of corn mash *K.C. Thomas, S.H. Hynes & W.M. Ingledew*

829 The effect of olive mill wastewaters variability on xanthan production *M.J. López, J. Moreno & A. Ramos-Cormenzana*

836 Oligonucleotide probes for specific detection of *Giardia lamblia* cysts by fluorescent *in situ* hybridization *M.R. Dorsch & D.A. Veal*

843 Batch and fed-batch carotenoid production by *Rhodotorula glutinis – Debaryomyces castellii* co-cultures in corn syrup *P. Buzzini*

Volume 90, Issue 6, June 2001

849 Editorial *D.E.S. Stewart-Tull*

850 Comparison of methods for determining the numbers and species distribution of coliform bacteria in well water samples *R.M. Niemi, M.P. Heikkilä, K. Lahti, S. Kalso & S.I. Niemelä*

859 Fermentations of fructo-oligosaccharides and their components by *Bifidobacterium infantis* ATCC 15697 on batch culture in semi-synthetic medium *S. Perrin, M. Warchol, J.P. Grill & F. Schneider*

866 Assessment of toxic potential of local Jordanian *Bacillus thuringiensis* strains on *Drosophila melanogaster* and *Culex* sp. (Diptera) *I. Saadoun, F. Al-Momani, M. Obeidat, M. Meqdam & A. Elbetieha*

873 Isolation and characterization of human colonic bacteria able to hydrolyse chlorogenic acid *D. Couteau, A.L. McCartney, G.R. Gibson, G. Williamson & C.B. Faulds*

882 Evolution of microbial populations and biogenic amine production in dry sausages produced in Southern Italy *E. Parente, M. Martuscelli, F. Gardini, S. Grieco, M.A. Crudele & G. Suzzi*

892 Potential occurrence of adhering living *Bacillus* spores in milk product processing lines *C. Faille, F. Fontaine & T. Bénézech*

901 Factors influencing attachment of thermophilic bacilli to stainless steel *S.G. Parkar, S.H. Flint, J.S. Palmer & J.D. Brooks*

909 Differentiation of *Lactobacillus delbrueckii* subspecies by ribotyping and amplified ribosomal DNA restriction analysis (ARDRA) *V. Miteva, I. Boudakov, G. Ivanova-Stoyancheva, B. Marinova, V. Mitev & J. Mengaud*

919 Characterization of *Aeromonas* and *Vibrio* species isolated from a drinking water reservoir *E.P. Ivanova, N.V. Zhukova, N.M. Gorshkova & E.L. Chaikina*

928 Characterization of lactic acid bacteria strains on the basis of neutral volatile compounds produced in whey *G. Mauriello, L. Moio, G. Moschetti, P. Piombino, F. Addeo & S. Coppola*

943 Phenotypic diversity of lactic acid bacteria isolated from fermented sausages produced in Basilicata (Southern Italy) *E. Parente, S. Grieco & M.A. Crudele*

953 The impact of flow rate (simulated leaching) on plasmid transfer frequency between bacteria in a model rhizosphere system *D.A. Pearce, M.J. Bazin & J.M. Lynch*

962 Transfer of bacteria from fabrics to hands and other fabrics: development and application of a quantitative method using *Staphylococcus aureus* as a model *S.A. Sattar, S. Springthorpe, S. Mani, M. Gallant, R.C. Nair, E. Scott & J. Kain*

971 *Lactobacillus casei* and *Lactobacillus plantarum* initiate catabolism of methionine by transamination *F. Amarita, T. Requena, G. Taborda, L. Amigo & C. Pelaez*

979 A strain of *Pseudomonas fluorescens* with two lipase-encoding genes, one of which possibly encodes cytoplasmic lipolytic activity *C.-A. Beven, M. Dieckelmann & I.R. Beacham*

988 A simple chemiluminescence-based method for rapid enumeration of *Listeria* spp. microcolonies *D.J.-M. Vidon, S. Donze, C. Muller, A. Entzmann & P. Andre*

994 Comparison of selective and non-selective enrichment media in the detection of *Listeria monocytogenes* from meat containing *Listeria innocua G. Duffy, D. Walsh, J.J. Sheridan, C.M. Logue, D. Harrington, I.S. Blair & D.A. McDowell*

1000 *Listeria monocytogenes* adheres to many materials found in food-processing environments *M.R. Beresford, P.W. Andrew & G. Shama*

1006 Separation and characterization of the 1,3-propanediol and glycerol dehydrogenase activities from *Clostridium butyricum* E5 wild-type and mutant D *H. Malaoui & R. Marczak*

1015 An *in vitro* study of the pH-lowering potential of salivary lactobacilli associated with dental caries *M.C. Badet, B. Richard & G. Dorignac*

1019 Index